

## nlin.char Nonlinear system characteristics

1 Characterizing nonlinear systems can be challenging without the tools developed for \_\_\_\_\_ system characterization.

However, there are ways of characterizing nonlinear systems, and we'll here explore a few.

### Those in-common with linear systems

2 As with linear systems, the **system order** is either the number of state-variables required to describe the system or, equivalently, the highest-order \_\_\_\_\_ in a single scalar differential equation describing the system.

3 Similarly, nonlinear systems can have state variables that depend on \_\_\_\_\_ alone or those that also depend on \_\_\_\_\_ (or some other independent variable). The former lead to ordinary differential equations (ODEs) and the latter to partial differential equations (PDEs).

4 Equilibrium was already considered in [Lec. nlin.ss](#).

### Stability

5 In terms of system performance, perhaps no other criterion is as important as \_\_\_\_\_.

#### Definition nlin.1: Stability

If  $x$  is perturbed from an equilibrium state  $\bar{x}$ , the response  $x(t)$  can:

1. asymptotically return to  $\bar{x}$  (asymptotically \_\_\_\_\_),
2. diverge from  $\bar{x}$  (\_\_\_\_\_), or
3. remain perturbed or oscillate about  $\bar{x}$  with a constant amplitude (\_\_\_\_\_ stable).

Notice that this definition is actually local: stability in the neighborhood of one equilibrium may not be the same as in the neighborhood of another.

6 Other than nonlinear systems' lack of linear systems' eigenvalues, poles, and roots of the characteristic equation from which to compute it, the primary difference between the stability of linear and nonlinear systems is that nonlinear system stability is often difficult to establish \_\_\_\_\_ . Using a linear system's eigenvalues, it is straightforward to establish stable, unstable, and marginally stable subspaces of state-space (via transforming to an eigenvector basis). For nonlinear systems, no such method exists. However, we are not without tools to explore nonlinear system stability. One mathematical tool to consider is \_\_\_\_\_ , which is beyond the scope of this course, but has good treatments in<sup>3</sup> and<sup>4</sup>.

3. Brogan, 1991, Ch. 10.

4. Choukchou-Braham and others, 2013, App. A.

### Qualities of equilibria

7 Equilibria (i.e. stationary points) come in a variety of qualities. It is instructive to consider the first-order differential equation in state variable \_\_\_\_\_ with real constant \_\_\_\_\_ :

$$x' = rx - x^3. \tag{1}$$

If we plot  $x'$  versus  $x$  for different values of  $r$ , we obtain the plots of Fig. char.1.

8 By definition, equilibria occur when  $x' = 0$ , so the  $x$ -axis crossings of Fig. char.1 are equilibria. The blue arrows on the  $x$ -axis show the \_\_\_\_\_ of state change  $x'$ , quantified by the plots. For both (a) and (b), only one equilibrium exists:  $x = 0$ . Note that the blue arrows in both plots point *toward* the equilibrium. In such cases—that is, when a \_\_\_\_\_ exists around an




Figure char.1: plots of  $x'$  versus  $x$  for Eq. 1.

equilibrium for which state changes point toward the equilibrium—the equilibrium is called an                      or                     . Note that attractors are                     .

9 Now consider (c) of Fig. char.1. When  $r > 0$ , three equilibria emerge. This change of the number of equilibria with the changing of a parameter is called a                     . A plot of bifurcations versus the parameter is called a **bifurcation diagram**. The  $x = 0$  equilibrium now has arrows that point                      from it. Such an equilibrium is called a                      or                      and is                     . The other two equilibria here are (stable) attractors. Consider a very small initial condition  $x(0) = \epsilon$ . If  $\epsilon > 0$ , the repeller pushes away  $x$  and the positive attractor pulls  $x$  to itself. Conversely, if  $\epsilon < 0$ , the repeller again pushes away  $x$  and the negative attractor pulls  $x$  to itself.

10 Another type of equilibrium is called the                     : one which acts as an attractor along some lines and as a repeller along others. We will see this type in the following example.

**Example nlin.char-1**

**re: Saddle bifurcation**

Consider the dynamical equation

$$x' = x^2 + r \tag{2}$$

• with  $r$  a real constant. Sketch  $x'$  vs  $x$  for negative, zero, and positive  $r$ . Identify and classify each of the equilibria.